


20
Style guide
24



IMAGINE

what could be,

DON'T HOLD BACK.

We believe there's untapped potential right outside your door. There are no boundaries to creative expression in our world. Go ahead. Imagine all that you want. From an eye-catching design to relaxing enjoyment – create a deck with distinction, made for connection.



GET *inspired,* GET *creative.*




START YOUR PROJECT HERE:

Discover color combinations with our color selector • Request decking samples
Get a quote • Find a contractor or retailer near you



SURESTONE™ TECHNOLOGY

Learn more here:



Exclusive technology.

There's no uncertainty here.

From the first plank to every moment after, the possibilities are endless. And the performance is absolute. This is decking done differently through mineral-based ingenuity. With a durability that embraces the seasons and peace of mind that lasts a lifetime, any outdoor living space can now be transformed into a year-round sanctuary.

And by combining distinctly natural wood-grain patterns with rich colors, it's never been easier for your outside space to become an extension of you. A space that must be seen, touched, and stood upon to be believed.

The decking bar has been raised, and the difference is unmistakable. You can be sure of it. Surestone™.

PICTURE FRAME BOARD
IN DARK SLATE

VOYAGE VARIED-WIDTH
DECKING IN COSTA

CONTEMPORARY CABLE RAIL
IN TEXTURED BLACK

To request free samples, visit
[Deckorators.com/Request-Samples](https://www.deckorators.com/request-samples)





- Vertical grain with enhanced traction
- Unique cap contains infrared reflective materials to reduce solar heat gain
- Micro-embossing reduces surface-to-skin contact



VOYAGE DECKING IN SIERRA & COSTA



VOYAGE DECKING IN COSTA



Grooved-edge Profile

Width: 3½", 7¼"
Length: 20'


Width: 5½"
Length: 12', 16', 20'



Solid-edge Profile


Width: 3½", 7¼", 9¼"
Length: 20'

Width: 5½"
Length: 16', 20'



Fascia

Width: 8" and 11¼"
Length: 12'



11¼" - Step Tread

Available in Khaya and Tundra
Length: 13'

NEW

Watch this video to learn more about Voyage Decking:



BEST-IN-CLASS TRACTION



VOYAGE DECKING IN SIERRA

VOYAGE DECKING IN TUNDRA

50 | 25 | 25
YEAR LIMITED WARRANTY



LOW THERMAL MOVEMENT



LIGHTWEIGHT



WATER & GROUND SAFE



ACCENT & ADD DEFINITION



DARK SLATE



Pairs well with Voyage, Vault and Vista Decking

11¼" - Step Tread
Length: 13'

NEW


Grooved-edge Profile
Width: 3½"
Length: 21'

Solid-edge Profile
Width: 3½", 5½", 7¼"
Length: 21'

Fascia
Width: 8" and 11¼"
Length: 12'



50 | 25 | 25
YEAR LIMITED WARRANTY






Flat-grain appearance



DUSK

MESQUITE




Grooved-edge Profile

Width: 5½"
Length: 12', 16', 20'



Solid-edge Profile

Width: 5½"
Length: 16', 20'



Fascia

Width: 8" and 11¼"
Length: 12'



VAULT DECKING IN DUSK


THE ORIGINAL DECK BOARD FEATURING SURESTONE™ TECHNOLOGY



VAULT DECKING IN MESQUITE

Photo credit:
This Old House, photographer
Anthony Tieul

50 | 25 | 25
YEAR LIMITED
WARRANTY



LOW THERMAL
MOVEMENT



LIGHTWEIGHT



WATER &
GROUND SAFE



ALTERNATE GRAIN DIRECTION
FOR A UNIQUE LOOK



PORCH FLOORING IN CHICORY

CONTEMPORARY CABLE RAIL IN TEXTURED BLACK

VAULT DECKING IN MESQUITE



KETTLE



CHICORY



Add instant curb appeal with Deckorators® Porch Flooring. Featuring one solid color and one variegated option, our porch flooring is easy to install and creates a timeless focal point to any home.

Tongue-and-groove Profile
Width: 3 1/8"
Length: 10', 12', 16'

Solid Profile
(for stairs and picture frame)
Width: 3 1/2"
Length: 12'

INSTANT *Curb Appeal*

50 | 25 | 25
YEAR LIMITED WARRANTY

LIGHTWEIGHT

LOW THERMAL MOVEMENT

WATER & GROUND SAFE

SLEEPER SYSTEM featuring Surestone™ Technology

Use the Sleeper System as a water and ground contact approved substructure for rooftop decks, decks over concrete patios and more.




- Dimensions are 1½" x 1½" x 8' or 12'
- Two-toned to complement any deck board choice
- For use only with Surestone™ Technology decking or porch flooring
- Fasten deck boards or porch flooring boards directly into Sleeper System
- Compatible with Stowaway™ Hidden Fasteners
- Sleepers are not structural and must be installed on a solid surface



RESIDENTIAL CLADDING

Deckorators® Surestone™ Technology decking can also be used as exterior cladding. Lightweight yet unbeatably strong, it's an optimal choice for your home exterior. Whether you wish to use Voyage, Vault or Picture Frame Board, each offers unmatched durability and low thermal movement.

- Approved for 3½", 5" and 7¼" widths
- Furring strips placed 24" on center
- Compatible with face screws, Pro Plugs® or Stowaway™ Hidden Fasteners




To learn more about Surestone™ Technology Cladding, visit Deckorators.com/Cladding



TRADITIONAL COMPOSITE

Scratch-resistant cap with a strong, dense composite core



DURABLE
CAP

Capped on three sides
through the groove



STAIN & FADE
RESISTANCE



LOW
MAINTENANCE

Bring the indoors *out.*

CONTEMPORARY CABLE RAIL
IN TEXTURED BLACK

VISTA DECKING IN IRONWOOD



ENHANCED
TRACTION

START DESIGNING HERE:

- Create and save multiple projects
- Pull a full report of your design(s), including a complete job materials list





CONTEMPORARY CABLE RAIL
IN TEXTURED BLACK

VISTA DECKING IN DRIFTWOOD



DRIFTWOOD

SILVERWOOD

DUNEWOOD

IRONWOOD

THE LOOK OF EXOTIC HARDWOODS WITHOUT THE MAINTENANCE -
NOW WITH ENHANCED TRACTION




- The look of exotic hardwoods
- Enhanced traction for increased slip resistance
- Wildland Urban Interface (WUI) approved




ENHANCED
TRACTION

25 | 25 | 25
YEAR LIMITED
WARRANTY




**Grooved-edge
Profile**

Width: 5½"
Length: 12', 16', 20'



**Solid-edge
Profile**

Width: 5½"
Length: 12', 16', 20'



Fascia

Width: 8" and 11¼"
Length: 12'



THE BEST COMBINATION OF VALUE AND PERFORMANCE

25 | 25 | 25
YEAR LIMITED
WARRANTY





LIGHTWEIGHT




SALTWATER



SANDBAR




Grooved-edge Profile
Width: 5½"
Length: 12', 16', 20'



Solid-edge Profile
Width: 5½"
Length: 12', 16', 20'




Fascia
Width: 11¼"
Length: 12'



VENTURE DECKING IN SANDBAR

VENTURE DECKING IN SALTWATER



RAPID RAIL IN TEXTURED BLACK

VENTURE DECKING IN SANDBAR

Make *it your own.*

PRIVACY SCREEN SYSTEM NEW

With the Deckorators® Privacy Screen System, you can effortlessly introduce both definition and seclusion to your outdoor environment. Get creative by mixing and matching screens, slats, or decking components to fashion a one-of-a-kind style for your backyard.



ADD STYLE AND PRIVACY



Scan to learn more:



FRAME COMPONENTS


- 4' x 6' Mixed Material Frame Kit that accommodates various infill options (works with 1/4", 5/8" & 7/8" thick materials)
- All adapters, spacers and dividers included in kit

INFILL OPTIONS

- Privacy Screen Panels in 4 on-trend styles
- 3 colors of double-sided Privacy Screen Slats

POSTS

- 2½" Flange-mounted Post Kit (76" tall)



RAILING SYSTEMS

Choose from composite or aluminum.


Composite railing offers:



Aluminum railing offers:



Learn more here:



RAPID RAIL IN TEXTURED BLACK

Surround *yourself* in style.

VOYAGE DECKING IN KHAYA & TUNDRA

LOW-VOLTAGE RECESSED LIGHTING



CHECK OUT OUR RAILING INSTALLATION VIDEOS ON YOUTUBE!



Aluminum railing offers:

- Powder-coated aluminum
- 36" and 42" railing heights
- Aluminum post kits in two sizes - 2½" and 4"
- Bracket Install Templates



4" Aluminum Post




Bracket Install Template




Rapid Rail Contemporary Rail



RAPID RAIL



NEW



Top and Bottom Rail Profile



- Modern design rail kit with square balusters
- Two-piece rails and brackets with drop-through balusters makes for quicker install
- 6' and 8' on-center line rails when installing with 2½" posts
- 6' and 8' stair rail kits available
- Works with Deckorators® 2½" and 4" aluminum posts
- Continuous stair bracket creates a seamless over-the-post solution that meets residential building requirements for graspability and continuity

NEW



Scan to view line rail installation:




Scan to view stair rail installation:




CONTEMPORARY RAIL



- Modern design welded panel with square balusters
- Pre-assembled welded panel provides strength and less assembly
- 6' and 8' on-center lengths when installing with 2½" posts
- 6' and 8' adjustable stair rail panels available
- Works with Deckorators® 2½" and 4" aluminum posts



Top Rail Profile



Bottom Rail Profile




Two-piece brackets for Contemporary Rail and Contemporary Cable Rail




Contemporary Stair Rail Swivel Bracket can be re-assembled to be a multi-angle line rail bracket



COMPOSITE RAILING



Top Rail



Bottom Rail

Composite railing offers:




- Pre-routed top and bottom rails with aluminum or composite balusters
- Balusters options: round black aluminum, round white aluminum or square white composite
- Available in 6' and 8' on-center lengths
- 36" and 42" rail heights available
- 4x4 post sleeve kits sold separately
- 6' and 8' stair rail kits available
- 22½- and 45-degree angle brackets available



Baluster Options




CONTEMPORARY CABLE RAIL



Color-matched powder-coated aluminum spacers

- Top rail kit available in 6' and 8' on-center lengths
- Pre-drilled line, corner and end posts
- Color-matched powder-coated aluminum spacers
- 316 Stainless steel cable available in various lengths varying from 5' to 50'
- Rail, post and cable kits sold individually
- 6' and 8' stair kits available



Top Rail Profile




Cable Corner Post



ACCESSORIES

Whether you seek the traditional style of our Classic balusters, want a distinctive post cap to spruce up your existing deck or are looking for a complete decking and railing system, Deckorators® products help make your deck, fence or porch an essential aspect of your home décor.



DECK BOARD MOUNTING BRACKET

NEW

- Updated design for use with 1-piece and 2-piece brackets
- Works with 3½" and 5½" wide deck boards



BALUSTERS & CONNECTORS



Scan QR code to view options:



Aluminum baluster options: Classic, Estate, Baroque, Arc and Traditional

- All connectors include stainless steel screws
- Stair connectors are set to a 35-degree stair angle

CONTINUOUS TOP RAIL BRACKETS

- Compatible with Contemporary Rail and Contemporary Cable railing systems
- Corner, center, end and stair brackets available




PRE-ASSEMBLED GATES

- Available in Textured Black and Textured White
- Works with a 48" wide gate opening for 36" rail height
- Includes gate hardware, hinges and latch



ALUMINUM POST EXTENSION

- Measures 66"
- Aluminum hardware included to attach bistro lights
- Compatible with 2½" aluminum post



ALUMINUM SECONDARY HANDRAIL

- ADA-compliant
- Compatible with 2½" or larger posts
- Works with any wood, composite or aluminum railing



CONTEMPORARY AND RAPID RAIL GATE JAMB KITS


- Gate Jamb Kit is available in Textured Black, Textured White, Weathered Brown and Bronze
- Available for 36" and 42" rail heights allowing for customized gate sizes
- Includes gate hardware, hinges and latch



LATTICE

- Plastic lattice available in 4' x 8' sheets
- Ideal for deck skirting, privacy walls or other decorative projects

Scan QR code to view color options:



Classic Diamond Privacy Diamond Square

POST CAPS



Solar, metal and wood post cap options available

Scan QR code to view options:



THE COLORS REPRESENTED HEREIN ARE REPRODUCED WITH PRINTER'S INKS AND MAY VARY FROM ACTUAL FACTORY PRODUCTS. FOR ACTUAL PRODUCT COLORS AND FINISHES, PLEASE VISIT YOUR DECKORATORS DEALER.

In direct sunlight, exterior building materials such as wood, wood alternatives, metal or concrete may experience increased surface temperatures that are hot to the touch.

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. You can find Deckorators' Proposition 65 warnings at: www.Deckorators.com/Prop65

FOLLOW DECKORATORS:



#DECKORATORS



We wouldn't be here without our talented Certified Pros. Find one near you at:
[DECKORATORS.COM/CONTRACTOR](https://www.deckorators.com/contractor)



Decxorators®

[DECKORATORS.COM](https://www.deckorators.com)

800.556.8449